

L Number	Hits	Search Text	DB	Time stamp
-	22685	receiv\$4 with signal\$5 with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:04
-	0	(queue adj ocupancy adj level) same (queue with occupancy with threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:53
-	0	(queue adj ocupancy adj level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:53
-	0	(queue with ocupancy with level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:54
-	0	(queue adj ocupancy adj level) same (first adj queue adj ocupancy adj threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:54
-	0	(queue adj ocupancy adj level) same (first with queue with occupancy with threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:54
-	2	((queue with occupancy with level)) and (occupancy adj threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:54
-	52	(queue with occupancy with level)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:56
-	38	((queue with occupancy with level)) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:56
-	0	((((queue with occupancy with level)) and threshold) and (receiv\$4 with signal\$5 with message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:56
-	0	(receiv\$4 with signal\$5 with message) and ((queue with occupancy with level))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:57
-	3968	(receiv\$4 with signal\$5 with message) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 17:58
-	118	(receiv\$4 with signal\$5 with message) and (threshold same queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 18:03
-	100	((receiv\$4 with signal\$5 with message) and (threshold same queue)) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 18:05

-	93	((receiv\$4 with signal\$5 with message) and (threshold same queue)) and @ad<=19990208) and first and second	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 18:06
-	30	((receiv\$4 with signal\$5 with message) and (threshold same queue)) and @ad<=19990208) and ((first and second) with queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 18:56
-	91	call adj signaling adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 19:33
-	55	(call adj signaling adj message) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 19:01
-	0	((call adj signaling adj message) and @ad<=19990208) and ((queue with occupancy with level))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 18:59
-	3	((call adj signaling adj message) and @ad<=19990208) and (queue with threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 18:59
-	6	((call adj signaling adj message) and @ad<=19990208) and queue and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 19:01
-	7	(call adj signaling adj message) and queue and (occupancy or level) and threshold	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/11 19:34
-	781	McCormick.in.	USPAT	2002/07/11 19:35
-	0	(dispensable and indispensable and essential) with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/14 13:03
-	0	(dispensable and indispensable and essential) same message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/14 13:03
-	3	(dispensable and indispensable and essential) and message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 09:31
-	0	(dispensable and indispensable) with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 09:32
-	51	(dispensable or indispensable) with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 09:32
-	731	(dispensable or indispensable or essential) with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 09:32

-	43	(dispensable or indispensable or essential) adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 09:33
-	678	((dispensable or indispensable or essential) with message) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 10:04
-	21	((((dispensable or indispensable or essential) with message) and @ad<=19990208) and call and enqueue and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 10:10
-	2	(((((dispensable or indispensable or essential) with message) and @ad<=19990208) and call and enqueue and queue) and signaling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/15 10:11
-	23532	type with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:06
-	18996	(type with message) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:06
-	218	((type with message) and @ad<=19990208) and (queue same threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:14
-	39	((((type with message) and @ad<=19990208) and (queue same threshold)) and (call adj process\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:10
-	7	(((((type with message) and @ad<=19990208) and (queue same threshold)) and (call adj process\$4)) and occupancy	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:11
-	4	(((((type with message) and @ad<=19990208) and (queue same threshold)) and (call adj process\$4)) and enqueue\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 16:51
-	0	threshold with enqueue\$4 with message with type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:16
-	1	threshold with queue with message with type	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:16
-	2251	mccormick.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:52
-	5	mccormick.in. and message and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 15:52

-	4	(((((type with message) and @ad<=19990208) and (queue same threshold)) and (call adj process\$4)) and enqueue\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 16:03
-	2	dispensable adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 17:37
-	195	message with drop\$4 with communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 17:38
-	45	(message with drop\$4 with communication) and efficiency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/16 17:38
-	1	(US-6134216-\$).did.	USPAT	2002/07/16 19:37
-	1	6134216.PN. and (call or process\$4 or module or queue)	USPAT	2002/07/16 19:38
-	1	((US-6134216-\$).did.) and (call or process\$4 or module or queue)	USPAT	2002/07/16 19:40
-	1	((US-6134216-\$).did.) and (process\$4 same module same queue)	USPAT	2002/07/16 19:41
-	0	overlaoding same (dequeue\$5 with message) same queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:05
-	0	overlaoding and (dequeue\$5 with message) and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:05
-	0	overlaod and (dequeue\$5 with message) and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:05
-	300	(dequeue\$5 with message) and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:06
-	255	((dequeue\$5 with message) and queue) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:06
-	14	((((dequeue\$5 with message) and queue) and @ad<=19990208) and FIFO and LIFO	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:18
-	444	overloading and (dequeuing adj message) (processing adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:19
-	0	overloading and (dequeuing adj message) and (processing adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:21

-	0	(dequeuing adj message) same (processing adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:21
-	0	(dequeuing and message) same (processing adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:21
-	10	(dequeuing and message) and (processing adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 11:22
-	8	((dequeuing and message) and (processing adj queue)) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:06
-	0	(at adj least adj one) with (FIFO and LIFO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:07
-	0	(at adj least adj one) same (FIFO and LIFO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:08
-	56	(at adj least adj one) and (FIFO and LIFO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:08
-	8	(at adj least adj one) and (FIFO same LIFO)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:13
-	6	((at adj least adj one) and (FIFO same LIFO)) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:15
-	406	FIFO with LIFO	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:16
-	337	(FIFO with LIFO) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 13:16
-	5	(FIFO with LIFO) same dequeue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 17:01
-	2740	type with (call or signaling) with message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 17:22
-	2	(type with (call or signaling) with message) and (enqueueing with message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 17:03

-	13571	type near3 message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 17:24
-	15	(type near3 message) with (enqueue\$5 with message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:36
-	2	plurality with dequeu\$4 with list	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:37
-	2	(plurality with dequeu\$4 with list) and @ad<=199900208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:40
-	0	((plurality with dequeu\$4 with list) and @ad<=199900208) and (track with location)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:40
-	67	track with location with queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:43
-	55	(track with location with queue) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:41
-	2	track with location with queue with call	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:41
-	2	(track with location with queue with call) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:42
-	487430	track with3 location with queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:43
-	35	(track near3 location) with queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:47
-	26	((track near3 location) with queue) and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:44
-	1	(track near3 location) with (processing adj queue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:46
-	1	(list near3 track near3 location) with queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/07/17 18:47

-	60165	370/200-500.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 13:31
-	41218	370/200-500.ccls. and @ad<=19990208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 13:33
-	6934	(370/200-500.ccls. and @ad<=19990208) and ((call signal\$4) with message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:57
-	1	(US-6134216-\$).did.	USPAT	2004/02/20 13:41
-	1	((US-6134216-\$).did.) and queue	USPAT	2004/02/20 13:41
-	6431	((370/200-500.ccls. and @ad<=19990208) and ((call signal\$4) with message)) and communication	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:44
-	1525	((((370/200-500.ccls. and @ad<=19990208) and ((call signal\$4) with message)) and communication) and queue\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:44
-	714	(((((370/200-500.ccls. and @ad<=19990208) and ((call signal\$4) with message)) and communication) and queue\$4) and (burst overload latency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:45
-	313	(((((370/200-500.ccls. and @ad<=19990208) and ((call signal\$4) with message)) and communication) and queue\$4) and (burst overload latency)) and module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:46
-	151	((((((370/200-500.ccls. and @ad<=19990208) and ((call signal\$4) with message)) and communication) and queue\$4) and (burst overload latency)) and module) and (message with (enqueueing queue))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:57
-	36	((((((370/200-500.ccls. and @ad<=19990208) and ((call signal\$4) with message)) and communication) and queue\$4) and (burst overload latency)) and module) and (type same (message with (enqueueing queue)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:48
-	116	((((((370/200-500.ccls. and @ad<=19990208) and ((call signal\$4) with message)) and communication) and queue\$4) and (burst overload latency)) and module) and ((call signal\$4) adj messages)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:49
-	663	"112" and (queue with threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:58
-	6	((((((370/200-500.ccls. and @ad<=19990208) and ((call signal\$4) with message)) and communication) and queue\$4) and (burst overload latency)) and module) and ((call signal\$4) adj messages)) and (queue with threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:49
-	1153	(370/200-500.ccls. and @ad<=19990208) and ((call signal\$4) with message).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:57

-	149	((370/200-500.ccls. and @ad<=19990208) and ((call signal\$4) with message).ab.) and queue	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:57
-	104	((((370/200-500.ccls. and @ad<=19990208) and ((call signal\$4) with message).ab.) and queue) and (message with (enqueueing queue)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:58
-	6	(((((370/200-500.ccls. and @ad<=19990208) and ((call signal\$4) with message).ab.) and queue) and (message with (enqueueing queue))) and (queue with threshold)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 14:58